



**Polaris RZR XP1000/2015 900S Rock Sliders (P141221)**

## **Installation Instructions**





- Begin by removing any dirt/obstructions that may interfere with the installation of the rock slider. Make sure all of the mounting holes and surfaces are clear.



- Assemble the supplied expansion anchors [ITEM 1] with the rock slider as shown above. Insert the bolt, washer, and sleeve into the mounting hole first. The flat surfaces of the sleeve of the expansion anchor should fit into the groove in the mounting hole of the rock slider. Then, thread the nut on the back side, against the fingers of the sleeve. The flat surfaces of the nut should fit into the groove in the sleeve and create a snug fit.



- Place the rock slider with the expansion anchors onto the vehicle. Make sure the sleeves of the expansion anchors are still seated properly in the grooves in the mounting holes of the rock slider before. Apply constant inward pressure on anchors as you tighten. It may be helpful for another person to hold the rock slider in place while you hand tighten the anchors. Do not fully tighten yet.



- Adjust the placement of the rock slider to match the body lines as best as possible. Keep the rock slider snug up against the plastic as you go around and evenly torque down the three anchors. **DO NOT OVERTIGHTEN** as you may shear the bolt in the expansion anchor.



- Repeat steps for other side. Installation is now complete.



## **TOOLS REQUIRED**

- 1/4" drive ratchet, 6 in. extension, & 13mm socket.

## **HARDWARE KIT**

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	5337853-PA	TUBE EXPANSION, ANCHOR	6
2	5632958-PA	WEDGE ANCHOR, CAST, THREADED	6
3	7520234	SCR-HXFL-M8 X 1.25 X 30 10.9 ZPB	6
4	7556341	WASHER- .327 X .875 X .90, FL-M	6

**WARNING:** Make sure all hardware and components are secure before operating vehicle. Damage to vehicle can occur from improper installation or poor maintenance.

### **WARNING**

**Please read:** This product is sold without warranty expressed or implied. No warranty or representation is made as to the products ability to protect the user / occupant from any injury or death in any manner of use. ***The user assumes that risk.*** The effectiveness of this equipment is directly related to the manner in which it is installed, used, and / or maintained. **Proper installation is solely the responsibility of the installer, and will not be assumed by Pro Armor.**

For further information on installation instructions and warnings please visit our website **WWW.PROARMOR.COM** or contact customer service at **1-888-31-ARMOR**